



About Tier

The NaughtOne Tier Table invites people to gather in meeting, dining, educational, and hospitality settings. It's available in a range of heights and thoughtfully designed with the stem and base scaling in proportion relative to the top.

Customise it by choosing between a round or square top, mixing and matching 16 colours for the base and stem, and integrating power directly into the table if needed.

It's backed by a 10-year warranty and can be returned to NaughtOne via our take-back programme at the end of its long life—when we'll make sure its easily disassembled materials make it to the right place.

Compliance

- **FSC®certified** products available upon request
- NaughtOne is **FISP** and **ISO14001** certified
- Our tables are designed to meet or exceed all EN performance requirements per **BS EN 15372:2016**

Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



NOTIE3600D
Tier 600 Circular Cafe Table
mm W 600 D 600 H 740
inch W 23.5 D 23.5 H 29



NOTIE3600S
Tier 600 Square Cafe Table
mm W 600 D 600 H 740
inch W 23.5 D 23.5 H 29



NOTIE3750D
Tier 750 Circular Cafe Table
mm W 750 D 750 H 740
inch W 29.5 D 29.5 H 29



NOTIE3750S
Tier 750 Square Cafe Table
mm W 750 D 750 H 740
inch W 29.5 D 29.5 H 29



NOTIE3900D
Tier 900 Circular Table
mm W 900 D 900 H 740
inch W 35.5 D 35.5 H 29



NOTIE3900S
Tier 900 Square Table
mm W 900 D 900 H 740
inch W 35.5 D 35.5 H 29



NOTIE31050D
Tier 1050 Circular Table
mm W 1050 D 1050 H 740
inch W 41.5 D 41.5 H 29



NOTIE31050S
Tier 1050 Square Table
mm W 1050 D 1050 H 740
inch W 41.5 D 41.5 H 29



NOTIE31200D
Tier 1200 Circular Table
mm W 1200 D 1200 H 740
inch W 47 D 47 H 29




NOTIE31200S
Tier 1200 Square Table
mm W 1200 D 1200 H 740
inch W 47 D 47 H 29



NOTIE31500D
Tier 1500 Circular Table
mm W 1500 D 1500 H 740
inch W 59 D 59 H 29



NOTIE6000D
Tier 600 Circular Bar Height Table
mm Dia 600 H 1050
inch Dia 23.5 H 41.5



NOTIE6000S
Tier 600 Square Bar Height Table
mm Dia 600 H 1050
inch Dia 23.5 H 41.5

Top Options



White / Black MFMD
edge banded



White / Black MFMD
with reverse chamfer,
polished MDF edge



Oak Veneer
with reverse chamfer,
polished MDF edge



Walnut Veneer
with reverse chamfer,
polished MDF edge



Forbo Lino
with reverse chamfer edge

Base Finishes



White / Black
Powder Coated
Base and Stem
Standard



RAL Powder Coated
Base and Stem
Standard



Two Tone RAL Powder
Coated Base and Stem
NaughtOne Colours

Power and Data Options



BMPIX
Pixel
Power and Data
Consult your price list
or sales rep



OEPIXEL
Pixel
Power and Data
Consult your price list
or sales rep

NaughtOne RAL Colours



Resources
3D visualisation models, 2D DWG and Revit files are available for all NaughtOne products
Download the files from our website www.NaughtOne.com







Tier Table Technical Specifications

Testing

Our tables are designed to meet or exceed all EN performance requirements per **EN 15372:2016**, which includes the following tests:

- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force – Main surface
- Horizontal static load – High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass



Servicing

If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.



Warranty

NaughtOne offers a **10 Year** warranty across all products. Details on the terms and conditions of NaughtOnes warranty can be found at NaughtOne.com/warranty

Structural testing certifications

NOTIE3600S

Tier 600 square cafe table

BS EN 15372:2016, Level 2

Static load 120kg

NOTIE5600S

Tier 600 square bar height table

BS EN 15372:2016, Level 2

Static load 120kg


NOTIE3900S

Tier 900 square table

BS EN 15372:2016, Level 2


Static load 120kg

Tier Table Technical Specifications




Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Width	B Depth	C Height	D Distance from Floor to Underside Top	E Overhang of Top at Widest Point	F Splay Of Base at Widest Point	G Stem Internal Clearance	H Weight
1 NOTIE3600D Tier 600 Circular Cafe Table	600 mm 23.5 in	600 mm 23.5 in	740 mm 29 in	715 mm 28 in	75 mm 3 in	450 mm 17.5 in	- -	21.7kg 47.8 lbs
2 NOTIE3600S Tier 600 Square Cafe Table	600 mm 23.5 in	600 mm 23.5 in	740 mm 29 in	715 mm 28 in	200 mm 8 in	450 mm 17.5 in	- -	23.6 kg 52 lb
3 NOTIE3750D Tier 750 Circular Cafe Table	750 mm 29.5 in	750 mm 29.5 in	740 mm 29 in	715 mm 28 in	100 mm 4 in	550 mm 21.5 in	Ø65 mm Ø2.56 in	28.5 kg 62.8 lb
4 NOTIE3750S Tier 750 Square Cafe Table	750 mm 29.5 in	750 mm 29.5 in	740 mm 29 in	715 mm 28 in	255 mm 10 in	550 mm 21.5 in	Ø65 mm Ø2.56 in	31.4 kg 69.2 lb
5 NOTIE3900D Tier 900 Circular Cafe Table	900 mm 35.5 in	900 mm 35.5 in	740 mm 29 in	715 mm 28 in	175 mm 7 in	550 mm 21.5 in	Ø65 mm Ø2.56 in	32.9 kg 72.5 lb
6 NOTIE3900S Tier 900 Square Cafe Table	900 mm 35.5 in	900 mm 35.5 in	740 mm 29 in	715 mm 28 in	360 mm 14 in	550 mm 21.5 in	Ø65 mm Ø2.56 in	37 kg 81.6 lb
7 NOTIE31050D Tier 1050 Circular Table	1050 mm 41.5 in	1050 mm 41.5 in	740 mm 29 in	715 mm 28 in	200 mm 8 in	650 mm 25.5 in	Ø90 mm Ø3.55 in	51.8 kg 114.2 lb
8 NOTIE31050S Tier 1050 Square Table	1050 mm 41.5 in	1050 mm 41.5 in	740 mm 29 in	715 mm 28 in	415 mm 16.5 in	650 mm 25.5 in	Ø90 mm Ø3.55 in	57.4 kg 126.5 lb
9 NOTIE31200D Tier 1200 Circular Table	1200 mm 47 in	1200 mm 47 in	740 mm 29 in	715 mm 28 in	275 mm 11 in	650 mm 25.5 in	Ø90 mm Ø3.55 in	57.7 kg 127.2 lb
10 NOTIE31200S Tier 1200 Square Table	1200 mm 47 in	1200 mm 47 in	740 mm 29 in	715 mm 28 in	525 mm 20.5 in	650 mm 25.5 in	Ø90 mm Ø3.55 in	64.8 142.9 lb
11 NOTIE31500D Tier 1200 Circular Table	1500 mm 59 in	1500 mm 59 in	740 mm 29 in	715 mm 28 in	425 mm 16.5 in	650 mm 25.5 in	Ø90 mm Ø3.55 in	69.2 kg 152.6 lb
12 NOTIE5600D Tier 600 Circular Bar Height Table	600 mm 23.5 in	600 mm 23.5 in	1050 mm 41.5 in	1025 mm 40.5 in	50 mm 2 in	500 mm 19.5 in	- -	24.8 kg 54.7 lb
13 NOTIE5600S Tier 600 Square Bar Height Table	600 mm 23.5 in	600 mm 23.5 in	1050 mm 41.5 in	1025 mm 40.5 in	175 mm 7 in	500 mm 19.5 in	- -	26.7 kg 58.9 lb

Tier Table Technical Specifications



Measuring Guide



Tier Table Environmental Product Summary




Environment Attributes

- NaughtOne is **FISP** and **ISO14001** certified
 - NaughtOne is **FSC®** certified
 - **21.7kg** total weight
 - **63.8% Recyclable** (base and fixings)
 - **36.2% Reusable** (top)
 - **48% Recycled content** (base and fixings)
 - **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)
- These attributes can help you to achieve criteria towards **LEED**, **BREEAM**, **Ska** and **WELL** building certifications



Tier Table Environmental Product Summary


Material Percentage Split



Post Consumer Recycled Content



Recyclable Content



Product Specific Design Statement

The **Tier** table is available in a range of sizes and finishes but for the purpose of this document we have a specific example from the range:

Tier 600 Circular Cafe Table with Oak Veneer Top

The **Tier** table base is mild steel, made using laser cut plate and tube, and is finished with a polyester powder coat.

The table top is made from oak veneer and the raw edge is edge banded and finished with a hard-wearing spray lacquer.

CSR Statement

NaughtOne has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, NaughtOne offers a ‘bring back’ programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to NaughtOne. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



NaughtOne offers PEFC certified products





1 Design

Every aspect of the NaughtOne product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

4 Distribution

Distribution of NaughtOne products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

5 Usage

NaughtOne products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

6 End of Life

Although our products are durable and demonstrate timeless design, NaughtOne products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

UK Showroom

6 Bakers Yard
Clerkenwell
London EC1R3DD
T: +44 (0)20 389 22 788

US Showroom

Suite 11-88
222 Merchandise Mart Plaza
Floor 11
Chicago IL 60654

NaughtOne HQ

Knaresborough Tech Park
Manse Lane
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500

E: sales@NaughtOne.com

www.NaughtOne.com