



## Everywhere Tables - Technical Specifications

### Performance

Everywhere Tables are tested and certificated to:

- BS EN 15372:2008 Furniture. Strength, durability and safety. Requirements for non-domestic tables
- Geprüfte Sicherheit (“Tested Safety”) [German Safety Mark]

### Worksurfaces

Worksurfaces are 25mm thick, available in MFC (melamine faced chipboard), with 2mm ABS edge band, applied with laser technology, machined to EN527 approved radius. Corner radius is 40mm.

Herman Miller MFC also meets the severe rating of Finish performance according to the FIRA (UK test laboratory) test FIRA 6250:2005 Specification: Furniture Materials (Interior)

This test also measures resistance to staining, hot and cold liquids etc. These test results mean that for all practical purposes in an office environment it will perform as well as laminate.

Laminate and Veneer finishes are also available to the same dimensions.

### Standard Height Tables;

**Rectangular Tables (DTW1A)** have multiple leg options and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg & T Leg.

- o Height – 730mm
- o Depth (Post Leg) – 450, 500, 600, 700, 750, 800 & 900mm
- o Depth (T-Leg) – 600 & 800mm
- o Width (Post Leg)– 600, 700, 750, 800, 900, 1000, 1200, 1400, 1500, 1600, 1800 & 2000mm
- o Width (T-Leg)– 1400, 1500, 1600 & 1800mm

**Trapezoid Tables (DTW1T)** have one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg.

- o Height – 730mm
- o Depth (Post Leg) – 600, 700, 750 & 800mm
- o Width (Post Leg)– 1200, 1400, 1500, 1600, 1800 & 2000mm



**D-Shape Tables (DTW1E)** have one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg.

- o Height – 730mm
- o Depth (Post Leg) – 600, 700, 750 & 800mm
- o Width (Post Leg)– 1200, 1400, 1500 & 1600mm

**Half Round Tables (DTW1H)** have one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg.

- o Height – 730mm
- o Depth (Post Leg) – 600, 700, 750, 800 & 900mm
- o Width (Post Leg)– 1200, 1400, 1500, 1600 & 1800mm

**Classroom Curve Tables (DTW1L)** have multiple leg options and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg & T Leg.

- o Height – 730mm
- o Depth (Post Leg) – 450, 500, 600, 700, 750 & 800mm
- o Depth (T-Leg) – 600, 700, 750 & 800mm
- o Width (Post Leg)– 1200, 1400, 1500, 1600, 1800 & 2000mm
- o Width (T-Leg)– 1200, 1400, 1500, 1600, 1800 & 2000mm

**Conference Corner Tables (DTW1M)** have one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg.

- o Height – 730mm
- o Depth (Post Leg) – 450, 500, 600, 700, 750, 800 & 900mm

**Round Corner Tables (DTW1N)** have one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg.

- o Height – 730mm
- o Depth (Post Leg) – 450, 500, 600, 700, 750, 800 & 900mm

**Square Tables (DTW1B)** have multiple leg options and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg, Single Column & 4-Column.

- o Height – 730mm
- o Depth (Post Leg) – 800, 900, 1000 & 1200mm
- o Depth (Single Column) – 600, 700, 750, 800 & 900mm
- o Depth (4-Column) – 800 & 900mm



**Rounded Square Tables (DTW1J)** have multiple leg options and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg, Single Column & 4-Column.

- o Height – 730mm
- o Depth (Post Leg) – 800, 900, 1000 & 1200mm
- o Depth (Single Column) – 600, 700, 750, 800 & 900mm
- o Depth (4-Column) – 800 & 900mm

**Round Tables (DTW1C)** have multiple leg options and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg, Single Column & 4-Column.

- o Height – 730mm
- o Depth (Post Leg) – 800, 900, 1000, 1200 & 1500mm
- o Depth (Single Column) – 600, 700, 750, 800 & 900mm
- o Depth (4-Column) – 800 & 900mm

**Tear Drop Tables (DTW1K)** has one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: Single Column.

- o Height – 730mm
- o Depth (Single Column) – 600, 700, 750, 800 & 900mm

**Oval Tables (DTW1D)** have multiple leg options and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: Spanner Base & 3-Column base.

- o Height – 730mm
- o Depth (Spanner Base) – 900 & 1000mm
- o Depth (3-Column) – 900 & 1000mm
- o Width (Spanner Base) – 1600 & 1800mm
- o Width (3-Column) – 1600, 1800, 2000 & 2200mm

**Video Oval Tables (DTW1G)** have one leg option and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: Spanner Base.

- o Height – 730mm
- o Depth (Spanner Base) – 800/1000mm
- o Width (Spanner Base) – 1400, 1500, 1600 & 1800mm

**Flip-Top Tables (DTW5A)** have one leg option and are available with castors or glides. The castor option has 2 locking and 2 non-locking casters. Glides have 12mm levelling range. Shipped knocked down. Leg options: T Leg.

- o Height – 730mm
- o Depth (T-Leg) – 600 & 800mm
- o Width (T-Leg) – 1400, 1500, 1600 & 1800mm



### Occasional Height Tables;

**Square Tables (DTW4B)** have multiple leg options and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg, 4-Column & Single Column.

- o Height – 400mm
- o Depth (Post Leg) – 600, 700, 750, 800, 900, 1000 & 1200mm
- o Depth (4-Column Leg) – 800 & 900mm
- o Depth (Single Column Leg) – 600, 700, 750, 800, 900 & 1000mm

**Rounded Square Tables (DTW4J)** have multiple leg options and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg, 4-Column & Single Column.

- o Height – 400mm
- o Depth (Post Leg) – 750, 800, 900, 1000 & 1200mm
- o Depth (4-Column Leg) – 800 & 900mm
- o Depth (Single Column Leg) – 750, 800, 900 & 1000mm

**Round Tables (DTW4C)** have multiple leg options and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: Post Leg, 4-Column & Single Column.

- o Height – 400mm
- o Depth (Post Leg) – 750, 800, 900, 1000, 1200 & 1500mm
- o Depth (4-Column Leg) – 800 & 900mm
- o Depth (Single Column Leg) – 750, 800, 900 & 1000mm

### Standing Height Tables;

**Square Tables (DTW3B)** have one leg option and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: 4-Column.

- o Height – 1000mm
- o Depth (4-Column Leg) – 600, 700, 750, 800, 900 & 1000mm

**Rounded Square Tables (DTW3J)** have one leg option and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: 4-Column.

- o Height – 1000mm
- o Depth (4-Column Leg) – 750, 800, 900 & 1000mm

**Round Tables (DTW3C)** have one leg option and are available with glides. Glides have 12mm levelling range. Shipped knocked down. Leg options: 4-Column.

- o Height – 1000mm
- o Depth (4-Column Leg) – 800 & 900mm



## Legs and Bases

Legs and bases are constructed of the following:

### Post Legs

- o Top Casting: 380 Diecast Aluminium
- o Leg: 6063 Extruded Aluminium
- o Fasteners: Zinc-plated steel

### Fixed T-Legs

- o Top Casting: 380 Diecast Aluminium
- o Leg: 6063 Extruded Aluminium
- o Foot: 380 Diecast Aluminium
- o Connection Strap: Hot-rolled steel
- o Fasteners: Zinc-plated steel

### 3-Column & 4-Column Bases

- o Top Casting: 380 Diecast Aluminium
- o Leg: 6063 Extruded Aluminium
- o Foot: 380 Diecast Aluminium
- o Connector Block: 380 Diecast Aluminium
- o Connection Strap: Rolled steel
- o Fasteners: Zinc-plated steel

### Single Column Base

- o Top Casting: 380 Diecast Aluminium
- o Leg: 6063 Extruded Aluminium
- o Foot: 380 Diecast Aluminium
- o Connection Strap: Rolled steel
- o Fasteners: Zinc-plated steel

### Spanner Base

- o Top Casting: 380 Diecast Aluminium
- o Leg: 6063 Extruded Aluminium
- o Foot: 380 Diecast Aluminium
- o Connector Block: 380 Diecast Aluminium
- o Connection Strap: Rolled steel
- o Reinforcement Brace: 380 Diecast Aluminium
- o Spanner Bar: 6063 Extruded Aluminium
- o Fasteners: Zinc-plated steel



### Flip-Top Base

- o Top Casting: 380 Diecast Aluminium
- o Leg: 6063 Extruded Aluminium
- o Foot: 380 Diecast Aluminium
- o Corner Block: 380 Diecast Aluminium
- o Connection Strap: Hot-rolled steel
- o Spanner Bars: 6063 Extruded Aluminium
- o Hinge: 380 Diecast Aluminium
- o Paddle: Plastic – Delrin
- o Paddle Retainer: 380 Diecast Aluminium
- o Fasteners: Zinc-plated steel

### Modesty Panel

A modesty panel (DTWM) made from PET (Polyethylene Terephthalate) can be attached directly to the underside of any Rectangular, Classroom Curve, Trapezoid, D-Shape or Half Round Everywhere Table worksurface via painted (powder coated) steel brackets (DTWF).

### Warranty

12 years.