# Percy Chair

Visually striking, yet beautifully simple.



Two elements marry to create this statement-making chair: the bold graphic outline of the frame and the plush, cushioned upholstery. The striking silhouette provides a blank canvas for colour that can be combined with a wealth of textile opportunities, to shape a quietly vibrant or elegantly sophisticated piece.

### Core Features

Upholstery available in multiple fabrics. 16 standard RAL colours for frame. 10 year warranty. Global take-back programme.

Designed by Nicole Marion

Enquire about this product at www.naughtone.com

### Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



Percy Chair w700 d760 h720 seat 450 (mm) w28 d30 h29 seat 18 (in)

### Colours

NaughtOne RAL palette



### Frame Options







steel frame Standard

coated frame NaughtOne Colours

### Flammability


The cold cure foam material has been tested to meet the following standards:

- British standard: 5852:2006 Part 2
- California Technical Bulletin: 117-2013
- Italian standard: UNI9175-CLASS 1.IM


The flammability standard of the covering fabric is dependent on the choice made by the customer. Details of the flammability rating of specific fabrics can be found on supplier's websites.

## **Product Sustainability Statement**


#### Recyclable Content



#### Recycled Content



#### Material Percentage Split



#### **Environmental Attributes**

- NaughtOne is FISP and ISO14001 certified
- FSC® certified products available upon request (FSC® C134222)
- 24 kg total weight
- 74.43% Recyclable
- 16.06% Reusable
- SCS Indoor Advantage™ Gold ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e-3-2019 (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards LEED, BREEAM, Ska and WELL building certifications

### Structural Testing Certifications

Percy Chair BS EN 16139:2013, Level 2 Static load 200 kg

Percy Chair ANSI/BIFMA x5.4 (2020) Static load 300 lb